

BUREAU VERITAS
Certification



'S' Mark Licence

Awarded to

TECHLAM LTD

35-39 TIRO TIRO ROAD, HOROWHENUA, LEVIN 5510, NEW ZEALAND

Bureau Veritas grants the above organization the right to use the Product Certification 'S' Mark as shown below only in respect of the products described and detailed in the Schedule to this Licence and manufactured in accordance with the requirements of the Standard indicated below under an approved Quality Management System. The Licence is granted subject to the 'Bureau Veritas Conditions of Service' and the 'Rules governing the use of Product Certification Licences'.

STANDARD

AS/NZS 1328.1:1998

Glued laminated structural timber

Part 1: Performance requirements and minimum production requirements

Licence No: 2929

Date Granted: 31 July 2020

Revalidated: 18 November 2024

Expiry Date: 31 July 2025

Signed on behalf of Bureau Veritas

Sam Guindi
Product Certification Manager



JAS-ANZ



This Licence and its associated Schedule remain the property of Bureau Veritas and must be returned if certification is terminated. The constant compliance with the certification requirements is confirmed by regular surveillance measures from Bureau Veritas. In the case of serious non-compliance the certification will be withdrawn and deleted from the Register.

To check the validity of this certificate please contact: **Bureau Veritas Australia Pty Ltd**
Issuing office: Bureau Veritas Pty Ltd, Level 11/500 Collins Street, Melbourne, Victoria, 3000



**BUREAU
VERITAS**

SCHEDULE TO PRODUCT CERTIFICATION LICENCE NO: 2929

LICENCE DETAILS

Scheme: 'S' Mark Product Certification

Licensee: TECHLAM LTD

Address: 35-39 TIRO TIRO ROAD, HOROWHENUA, LEVIN 5510, NEW ZEALAND



CONFORMANCE REQUIREMENTS

Standard: AS/NZS 1328.1:1998 Glued laminated structural timber
Part 1: Performance requirements and minimum production requirements

CERTIFIED PRODUCTS

PRODUCT DESCRIPTION

Glued laminated timber members for structural use.

SPECIES

Radiata, Elliotti, Spruce, Macrocarpa, Acoya, Douglas Fir

DESIGN STRENGTH

GL8, GL10, GL12, GL17

SERVICE CLASS

SC1, SC2, SC3

ADHESIVES

Resorcinol
Polyurethane

Revision Date: 18 November 2024



BUREAU VERITAS
Certification



'S' Mark Licence

Awarded to

TECHLAM LTD

35-39 TIRO TIRO ROAD, HOROWHENUA, LEVIN 5510, NEW ZEALAND

Bureau Veritas grants the above organization the right to use the Product Certification 'S' Mark as shown below only in respect of the products described and detailed in the Schedule to this Licence and manufactured in accordance with the requirements of the Standard indicated below under an approved Quality Management System. The Licence is granted subject to the 'Bureau Veritas Conditions of Service' and the 'Rules governing the use of Product Certification Licences'.

STANDARD

AS 5068:2006

Timber - Finger joints in structural products - Production requirements

Licence No: 2930

Date Granted: 31 July 2020

Revalidated: 18 November 2024

Expiry Date: 31 July 2025

Signed on behalf of Bureau Veritas

Sam Guindi
Product Certification Manager



This Licence and its associated Schedule remain the property of Bureau Veritas and must be returned if certification is terminated. The constant compliance with the certification requirements is confirmed by regular surveillance measures from Bureau Veritas. In the case of serious non-compliance the certification will be withdrawn and deleted from the Register.

To check the validity of this certificate please contact: **Bureau Veritas Australia Pty Ltd**
Issuing office: Bureau Veritas Pty Ltd, Level 11/500 Collins Street, Melbourne, Victoria, 3000

SCHEDULE TO PRODUCT CERTIFICATION LICENCE NO: 2930

LICENCE DETAILS

Scheme: 'S' Mark Product Certification

Licensee: TECHLAM LTD

Address: 35-39 TIRO TIRO ROAD, HOROWHENUA, LEVIN 5510, NEW ZEALAND



CONFORMANCE REQUIREMENTS

Standard: AS 5068:2006 Timber - Finger joints in structural products - Production requirements

CERTIFIED PRODUCTS

PRODUCT DESCRIPTION

Finger jointed timber members for structural use.

HOWIAL FINGER JOINTER

20 mm face to face

Radiata, Ellioti, Spruce, Macrocarpa, Acoya, Douglas fir

Fbdc = 25 Mpa (GL8, GL10, GL12, GL17)

Max 250 x 50 mm

JP20 FINGERJOINTER

10 mm face to face

Radiata, Ellioti, Spruce, Macrocarpa, Acoya, Douglas fir

Fbdc = 25 Mpa (GL8, GL10, GL12, GL17)

Max 200 x 50 mm

ADHESIVES

Polyurethane

Resorcinol

Note: All adhesive shall be chosen to comply with the requirements of Clause 6.3.

Revision Date: 18 November 2024

